


RT 55/t  
55 LBS THRUST  
12 VOLT 50AMPS  
36" & 42" SHAFT

for use with "K" serial numbers  
2-year warranty from the date of purchase



| Item | P/N       | Description                | Qty | Item | P/N     | Description                       | Qty       | Item | P/N     | Description              | Qty |
|------|-----------|----------------------------|-----|------|---------|-----------------------------------|-----------|------|---------|--------------------------|-----|
| 1    | 2097096   | 12V Motor 42" SW           | 1   | ■    | 2991797 | Bracket assy, Composite [270-356] | 1         | ■    | 1378131 | Propeller kit WW2        |     |
| 5    | 2-100-117 | Armature assembly          | 1   | 270  | 2060100 | Knob, steering tension, soft      | 1         | 1000 | 2091160 | Propeller WW2            | 1   |
| 10   | 140-010   | Bearing                    | 1   | 275  | 2068400 | Collet                            | 1         | 1010 | 2092600 | Drive pin, small         | 1   |
| 15   | 788-015   | Retaining ring             | 1   | 280  | 2064200 | Lock arm                          | 1         | 1015 | 2151726 | Washer, prop, small      | 1   |
| 20   | 2-200-301 | Center housing assembly    | 1   | 285  | 2062701 | Spring, lock arm                  | 1         | 1020 | 2198400 | Nut, nylock, prop, Anode | 1   |
| 25   | 421-336   | Brush end housing assembly | 1   | 290  | 2061821 | Hinge                             | 1         |      |         |                          |     |
| 30   | 2-400-337 | Plain end housing assembly | 1   | 295  | 2062603 | Pin, lock, ss                     | 1         |      |         |                          |     |
| 35   | 144-049   | Flange bearing             | 1   | 300  | 2062603 | Pin, lock, ss                     | 1         |      |         |                          |     |
| 40   | 880-003   | Seal                       | 1   | 305  | 2037301 | Bushing, hinge                    | 1         |      |         |                          |     |
| 45   | 880-006   | Seal with shield           | 1   | 310  | 2032031 | Tube 36"                          | 1         |      |         |                          |     |
| 50   | 188-036   | Brush                      | 2   |      | 2032032 | Tube 42"                          | 1         |      |         |                          |     |
| 55   | 725-050   | Paper tube                 | 1   | 315  | 2063501 | Bolt 1/4-20 x 2 3/8", ss          | 3         |      |         |                          |     |
| 60   | 738-036   | Brush plate assembly       | 1   | 320  | 2771950 | Bracket, right, FW                | 1         |      |         |                          |     |
| 65   | 975-040   | Brush spring               | 2   | 325  | 2067905 | Cam deactivator                   | 1         |      |         |                          |     |
| 70   | 337-036   | Gasket                     | 1   | 330  | 2067306 | Bushing, dowel 1/4 x 1/2          | 3         |      |         |                          |     |
| 75   | 701-081   | O-ring, motor              | 1   | 335  | 2062700 | Spring, cam deactivator           | 1         |      |         |                          |     |
| 80   | 701-008   | O-ring, thru-bolt          | 2   | ■    | 2881380 | Clamp screw kit                   | 2 per kit |      |         |                          |     |
| 85   | 830-007   | Screw, 8-32                | 2   | 350  | 2771955 | Bracket, left, FW                 | 1         |      |         |                          |     |
| 90   | 830-042   | Thru-bolt                  | 2   | 355  | 2263103 | Nut, 1/4-20, nylock, ss           | 3         |      |         |                          |     |
| 95   | 990-067   | Washer, steel              | 2   | 356  | 2062604 | Pin, stop                         | 1         |      |         |                          |     |
| 100  | 990-070   | Washer, nylatron           | 2   |      |         |                                   |           |      |         |                          |     |
| 135  | 640-002   | Leadwire, black            | 1   | ■    | 2990957 | Handle assy, [360-410]            | 1         |      |         |                          |     |
| 136  | 640-113   | Leadwire, red              | 1   | 360  | 2990456 | Grip/handle assy, [360-375]       | 1         |      |         |                          |     |
| ■    | 2888460   | Seal and O-ring Kit        |     | 365  | 2060015 | Bearing, handle                   | 2         |      |         |                          |     |
|      |           |                            |     | 370  | 2063405 | Screw, #6 PFH SS                  | 1         |      |         |                          |     |
| 200  | 2195654   | Decal, c-box cover         | 1   | 375  | 2884092 | Yoke / spider assy                | 1         |      |         |                          |     |
| 205  | 2060296   | C-box cover                | 1   | 380  | 2302742 | Spring, detent, off               | 1         |      |         |                          |     |
| 208  | 2325666   | Decal - MinnKota           | 2   | 385  | 2060005 | Bearing, handle pivot             | 2         |      |         |                          |     |
| 210  | 2074080   | Battery meter, 12v SW      | 1   | 390  | 2060900 | Handle pivot, top                 | 1         |      |         |                          |     |
| 215  | 2043427   | Screw, #8 x 7/8 SS         | 2   | 395  | 2302745 | Spring, release button            | 1         |      |         |                          |     |
| 220  | 2184006   | Control board, 12v         | 1   | 400  | 2063700 | Button, release                   | 1         |      |         |                          |     |
| 225  | 2303434   | Screw, #8-30 x 5/8 SS      | 2   | 405  | 2060905 | Handle pivot, bottom              | 1         |      |         |                          |     |
| 230  | 2062503   | Control box, VARS, SW      | 1   | 410  | 2303412 | Screw, #6 x 5/8 SS                | 6         |      |         |                          |     |
| 235  | 2062905   | Strain relief              | 1   | 420  | 2061700 | Washer, pot holder                | 1         |      |         |                          |     |
| 240  | 2303412   | Screw, #6 x 5/8 SS         | 6   | 415  | 2062715 | Spring, handle pivot              | 1         |      |         |                          |     |
| 245  | 2263434   | Screw, #8 x 1 SS           | 2   | 425  | 2992524 | Leadwire assy, includes [235]     | 1         |      |         |                          |     |
| 250  | 2263406   | Screw, #10-24 x 2 SS       | 1   |      |         |                                   |           |      |         |                          |     |
| 255  | 2061517   | Collar, c-box              | 1   |      |         |                                   |           |      |         |                          |     |
| 260  | 2333101   | Nut, 10-24, nylock, SS     | 1   |      |         |                                   |           |      |         |                          |     |
| 265  | 2991521   | Cam lock/depth collar assy | 1   |      |         |                                   |           |      |         |                          |     |

\* This item is part of an assembly. This item cannot be sold separately due to machining and /or assembly that is required.

Riptide 55 is 12-volt only!

THIS IS A UNIVERSAL MULTI-VOLTAGE DIAGRAM. DOUBLE CHECK YOUR MOTORS VOLTAGE FOR PROPER CONNECTIONS

